



# Loppers

- N Name** Loppers.
- A Annotate** Handles (grips), hinge, pivot nut, cutting edge (bypass or anvil).
- C Check** Grips are not damaged or loose. Cutting edge is clean and opens and closes. Hinge works freely. If present, extendable handle operation is smooth and secure when in use.
- H Handling** Carry down at your side with your hand on the lower part of the handle. Ensure cutting edge is closed. When passing to another person, pass the handle first.
- P PPE** Gloves. Long trousers (preferably over trousers / overalls). Working boots. Hard hat. High visibility clothing.
- P Purpose** Used for cutting sticks and branches up to 4cm diameter (approx.).
- U Use** Make sure you have a clear area to work in, with no one in close proximity. If cutting overhead, wear a hard hat. Use the length of the handles to give maximum leverage. Hold tool on handles. Make sure no hands are near the branches you are cutting. Anvil loppers - a single blade closing onto a flat base, used for dry wood. Bypass loppers - two blades that slide past each other like scissors, used for green wood.
- F Finishing** Clean cutting edge after use. Close cutting edge. Store in tool bag.
- M Maintain** Periodically wash and clean off sap from blade. Keep blade sharp by honing with wet or dry sharpening stone. Wipe with an oiled cloth.



# Billhook

- N Name** Billhook.
- A Annotate** Handle, cutting edge.
- C Check** Make sure that handle and cutting edge are secure. Blade should be sharp.
- H Handling** Carry at your side with cutting edge facing back. When passing to another person, pass the handle first.
- P PPE** Glove on non-working hand. Long trousers (preferably over trousers/overalls). Steel toe cap boots. High visibility clothing.
- P Purpose** Used for splitting logs and green wood, snedding (stripping) branches, hedge laying, coppicing, clearance.
- U Use**

Make sure you have a clear area to work in with no one is in close proximity. Always move blade away from the body.


For splitting logs – secure log on a flat surface. Position tool on top of small log and strike with a wooden mallet.

For snedding – stand in a secure position, hold branch in a secure position, i.e., under arm and move tool along branch.
- F Finishing** Clean cutting edge after use. Cover blade and store in tool bag.
- M Maintain** Periodically wash and clean off sap from blade. Keep blade sharp by honing, with wet or dry sharpening stone. Wipe with an oiled cloth.



# Bowsaw

- N Name** Bowsaw.
- A Annotate** Handle, blade, blade guard.
- C Check** Blade is secure and sharp. Replace blunt blade before use.
- H Handling** Carry at your side with blade facing down. Ensure blade guard is in place. When passing to another person, pass the handle first.
- P PPE** Glove on non-working hand. Close fitting glove on working hand if required. Long trousers (preferably over trousers/overalls). Working boots.
- P Purpose** Used for coppicing, felling small trees, and cutting green and dead wood, branches, and logs.
- U Use** Secure wood on to a flat surface, via a clamp, brace, or gloved hand, or use a sawhorse to hold the wood. Place blade on wood and put free hand through saw and rest on wood. Pull blade backwards three times until a groove is established. Then use saw on both push and pull actions. This can be push, pull style between two users. When coppicing, place the blade at the bottom of the tree branch and keeping the branch secure, pull the blade back and forth until a groove is established.
- F Finishing** Clean blade. Replace blade guard. Store in a tool bag.
- M Maintain** When blade gets blunt, replace with a new one. Replace damaged or lost blade guards. Wipe with an oiled cloth.



# Penknife, sheath knife, locking knife/non-locking knife

- N Name** Penknife, sheath knife, locking knife/non-locking knife.
- A Annotate** Handle, blade, sheath, hinge, and lock (if locking, folding or penknife).
- C Check** Hinge works freely. Locking device functions. Blade is sharp and secure to handle.
- H Handling** Close, lock, or sheath blade when not in use. When passing to another person, pass the handle first.
- P PPE** Glove on non-working hand. Long trousers, (preferably over trousers/overalls). Working boots.
- P Purpose** Used for cutting, debarking, shaping, carving, splitting smaller logs and for crafts.
- U Use** Sit or stand in a safe and secure position. Check you have enough personal space to work safely. Lock elbows into body. Place stick under arm at side of body. Work with the blade moving away from you when carving.
- F Finishing** Clean blade. Secure blade. Store in a tool bag.
- M Maintain** Periodically wash and clean off sap from blade. Wipe with an oiled cloth. Keep blade sharp by honing with wet or dry sharpening stone. Periodically oil hinge/lock. Replace broken or badly worn sheath.



# Secateurs

- N Name** Secateurs.
- A Annotate** Handles (grips), hinge, pivot nut, cutting edge (bypass or anvil type), spring, securing mechanism/lock.
- C Check** Grips are secure. Hinge is secure. Cutting edge is sharp. Hinge free to open and close. Securing mechanism works freely.
- H Handling** Make sure cutting edge is closed when carrying. Carry at your side by the handles. When passing to another person, pass the handle first.
- P PPE** Gloves on non-working hand. Long trousers (preferably over trousers/overalls). Working boots.
- P Purpose** For cutting small branches up to 2cm diameter (approx.).
- U Use** Check you have enough personal space to work safely. Place wood as near as possible to the hinge to give maximum leverage. Cut small branches with one hand on handles, the other hand holding the branch you are cutting. Do not use to cut branches nearly out of reach or too high. Anvil secateurs - a single blade closing onto a flat base, used for dry wood. Bypass secateurs - two blades that slide past each other like scissors, used for green wood.
- F Finishing** Clean cutting edge. Close cutting edge and lock tool. Store in a tool bag.
- M Maintain** Periodically wash and clean off sap from blade. Keep blade sharp by honing with wet or dry sharpening stone. Wipe with an oiled cloth.



# Potato peeler

- N Name** Potato peeler.
- A Annotate** Handle, cutting edge.
- C Check** Handle and cutting edge secure.
- H Handling** Carry at side, pointed downwards. When passing to another person, pass the handle first.
- P PPE** Glove on non-working hand. Working boots.
- P Purpose** Used for cleaning and stripping bark, pointing campfire cooking sticks.
- U Use** Sit or stand in a safe and secure position. Check you have enough personal space to work safely. Lock elbows into body. Place stick under arm at side of body. Work with the blade moving away from you.
- F Finishing** Clean cutting edge. Store in a tool bag or box.
- M Maintain** Periodically wash and clean off sap from blade. Wipe with an oiled cloth. Replace when blunt.



# Junior hacksaw

- N Name** Junior hacksaw.
- A Annotate** Handle, blade.
- C Check** Handle is secure. Blade is secure and sharp. Replace blunt blades before use.
- H Handling** Carry wrapped or in a small tool bag. When passing to another person, pass the handle first.
- P PPE** Glove on non-working hand. Close fitting glove on working hand if required. Long trousers (preferably over trousers/overalls). Working boots.
- P Purpose** Used for cutting smaller sticks and more precise cutting with a neater finish.
- U Use** Secure wood on to a flat surface, via a clamp, brace, or gloved hand. Place blade on wood and use free hand to hold wood in place. Pull blade back and forth slowly until groove is established.
- F Finishing** Clean cutting edge and store in a small tool bag.
- M Maintain** Regularly check that the blade and handle are secure. Wipe with an oiled cloth.





# Trowel

- N Name** Trowel.
- A Annotate** Handle, blade.
- C Check** Handle is secure. Blade is secure.
- H Handling** Carry wrapped or in a small tool bag. When passing to another person, pass the handle first.
- P PPE** Gardening gloves. Work boots.
- P Purpose** Used for digging small holes, clearing weeds, and scraping away thin layers of soil.
- U Use** Place the tip of the blade into the soil. Apply pressure on the handle. Lever the handle and scoop the soil up.
- F Finishing** Clean the blade. Store in a tool bag.
- M Maintain** Regularly check that the blade and handle are secure. Thoroughly clean blade and handle, removing any rust with a wire brush, fine steel wool and medium grit sandpaper. File away from the body, use a three-sided file to bevel the edge of the blade for a sharp edge. Apply a thin coat of oil to all parts of the trowel.




# Spade

- N Name** Spade.
- A Annotate** Handle, step, blade, shaft.
- C Check** Handle is secure. Blade is secure.
- H Handling** Carry by the shaft of the handle wrapped or in a small tool bag. When passing to another person, pass the handle first.
- P PPE** Gardening gloves. Long trousers (preferably over trousers/overalls). Steel toe cap boots.
- P Purpose** Used for digging, making straight-edged holes and trenches, slicing, lifting sod, and edging. Also used for weeding and planting.
- U Use** Place the edge of the blade into the soil, usually at an angle. Apply pressure on the handle and lever the handle, scooping the soil up. For hard soils, place foot on the step – the top edge of the blade – and press down firmly, along with the pressure to the handle.
- F Finishing** Clean the blade. Store in an upright position to prevent trips and other injuries.
- M Maintain** Regularly check that the blade and handle are secure. Thoroughly clean blade and handle, removing any rust with a wire brush, fine steel wool and medium grit sandpaper. File away from the body, use a three-sided file to bevel the edge of the blade for a sharp edge. Apply a thin coat of oil to all parts of the spade.



# Pruning saw

- N Name** Pruning saw.
- A Annotate** Handle, blade, hinge, lock.
- C Check** Handle is secure. Blade is secure and sharp. Folding pruning saws should have a smooth closing and opening mechanism. Lock works securely.
- H Handling** Carry folded. When passing to another person, pass the handle first or with the saw in the folded position.
- P PPE** Glove on non-working hand. Close fitting glove on working hand if required. Long trousers (preferably over trousers/overalls). Working boots.
- P Purpose** Used to trim or cut green and dead wood, shrubs, and small branches, up to approximately 10cm diameter, depending upon size of blade.
- U Use** Secure wood lengths before sawing. Use stepped cuts (the process of cutting with multiple 'steps' rather than the one-step action seen in full depth or fixed cutting) for standing live wood. Hold the stem or branch firmly with the non-cutting hand. Start the cut by placing the saw teeth of the blade on top of the stem or branch and slowly pull the blade toward you. Establish a groove by making three backward cuts. Most pruning saws work on the pull action. When the blade is firmly seated, draw the blade slowly and in a controlled manner, back and forth.
- F Finishing** Clean the blade carefully. If a folding pruning saw, fold and secure. Store in a tool bag.
- M Maintain** Regularly check that the blade and handle are secure. Oil handle if folding action becomes less smooth. Wipe with an oiled cloth. Check blade remains sharp and replace when needed.



# Palm drill, gimlet, hand drill, hand brace, auger

- N Name** Palm drill, gimlet, hand drill, hand brace, auger.
- A Annotate** Handle, drill bit, chuck (on hand drill).
- C Check** Drill bit is secure in the palm drill. Chuck is tightened and holding the drill bit securely in the hand drill and the handle turns freely.
- H Handling** Carry at your side with the point downwards, wrapped or in a small tool bag. When passing to another person, pass the handle first.
- P PPE** Glove on non-tool hand. Long trousers. Work boots.
- P Purpose** Used to make pilot holes and small holes in soft wood, conkers, and similar materials.
- U Use** Palm drill – secure wood on to a flat surface, via a clamp, brace, or gloved hand. Use the dominant hand to apply pressure downwards, twisting the palm drill in a clockwise direction until the depth of the required hole is reached. Hand drill – secure wood on to a flat surface, via a clamp, brace or gloved hand. Keep the hand drill in a vertical position, with the drill point on the wood. One hand holds the handle at the top whilst the second hand rotates the other handle in a clockwise direction. Apply slight pressure. Untwist to release the drill.
- F Finishing** Use a cloth to remove any sawdust. Store in a tool bag with drill bit covered for safety.
- M Maintain** Palm drill - regularly check that the drill bit is secure and sharp. Hand drill – oil handle to maintain it. Check drill bits are sharp. If strong pressure is needed, drill bit will become blunt. Wipe with an oiled cloth.



# Axe, hatchet

- N Name** Axe, hatchet.
- A Annotate** Handle, axe head, poll, or butt of axe head, curved cutting edge, axe eye.
- C Check** Ensure that the handle is secure in the axe head. Check axe eye for any damage.
- H Handling** Carry in purpose made belt, or holding handle with axe head facing downwards, at side with blade sheath in place. When passing to another person, pass the handle first.
- P PPE** Gloves. Long trousers (preferably over trousers /overalls). Steel toe cap boots. High visibility clothing.
- P Purpose** Used for chopping, splitting, and whittling wood.
- U Use** Stand in a safe and secure position. Check you have enough personal space to work safely. Secure wood on to a flat surface, via a clamp, brace or gloved hand. When chopping, position yourself to the side of the blade's arc. When whittling with an axe, ensure that you have a glove on the holding hand and that the hand is behind the face of the wood that is being whittled. When splitting wood, place the axe head onto the round and strike with a wooden mallet.
- F Finishing** Clean the axe blade after use; ensure that the head is dry before replacing the blade sheath. Store in a tool bag.
- M Maintain** Periodically wash and clean off sap from the axe's cutting edge. Wipe with an oiled cloth. Ensure that the bevel is sharp by honing with wet or dry sharpening stone. Always dry the axe thoroughly before storing.



# Fork (hand, digging or garden)

- N Name** Fork (hand, digging or garden).
- A Annotate** Handle, grip, shaft, ferrule, tang, socket, tongs, or tines.
- C Check** Handle and grips are secure. Tines are secure.
- H Handling** Carry by the shaft of the handle. When passing to another person, pass the handle first.
- P PPE** Gardening gloves. Long trousers (preferably over trousers/overalls). Sturdy or steel toe cap boots.
- P Purpose** Used for digging, aerating soil, and turning sod. Also for weeding and planting.
- U Use** Place the tines into the soil, usually at an angle. Apply pressure on the handle and lever the handle, breaking the soil up. For clay or hard soils, place foot on the top edge of the digging or gardening fork and press down firmly, along with the pressure to the handle.
- F Finishing** Clean the tines. Store in an upright position to prevent trips and other injuries.
- M Maintain** Regularly check that the tines and handle are secure. Thoroughly clean tines and handle, removing any rust with a wire brush, fine steel wool and medium grit sandpaper. Apply a thin coat of oil to all parts of the fork.



# Dibber

- N Name** Dibber.
- A Annotate** Handle, shaft, plunger.
- C Check** Handle and plunger are secure.
- H Handling** Carry by the shaft of the handle. When passing to another person, pass the handle first.
- P PPE** Gardening gloves. Long trousers (preferably over trousers/overalls). Sturdy boots.
- P Purpose** Used for making holes for planting seeds and seedlings.
- U Use** Place the plunger on the soil. Apply pressure on the handle and press straight down to the required depth.
- F Finishing** Clean the plunger. Store in a small tool bag.
- M Maintain** Regularly check that the plunger and handle are secure. Thoroughly clean plunger and handle. Wipe with an oiled cloth.

